

LOCK-EZ[®]

PRESENT HIGH QUALITY TOP SECURITY HARDWARES



www.lockezmetal.com



COMPANY PROFILE

Zenith Metal Ind. Co., Ltd.

Brand: **LOCK-EZ**

Location: Thailand

Industry: Exporter and Manufacturer of High-Quality Door Locksets & Hardware

Zenith Metal Ind. Co., Ltd., proudly operating under the brand name Lock-ez, is a premier exporter and manufacturer based in Thailand. We specialize in producing high-quality and elegant door locksets, including cylindrical door locks, bar locks, rim night latches, mortise locks, key-in-lever locks, entrance handle sets, deadbolts, padlocks, and hinges.

In addition to our superior locksets, we offer comprehensive door hardware solutions such as door hinges, tower bolts, door stoppers, door viewers, and door closers. Our products are designed to combine security, functionality, and aesthetic appeal, making Lock-ez a trusted choice for residential and commercial customers around the globe.

At Zenith Metal Ind. Co., Ltd., we are dedicated to quality craftsmanship, innovative design, and customer satisfaction, ensuring that our products meet the highest standards of excellence.

OFFICE: SUKHUMVIT ROAD, BANGKOK 10110 THAILAND

FACTORY: BANGLAMUNG, SOI 29, CHONBURI 20150, THAILAND

✉ info@lockezmetal.com

🌐 www.lockezmetal.com






TABLE OF

CONTENTS


01	SMART LOCK	19	DEATBOLT
06	HANDLE LOCK	20	LOCK BODY CYLINDER
08	PUSH PULL LOCK	23	DOOR HINGES
09	VILLA LOCK	24	DOOR STOOPER
11	MORTISE LOCK	25	DOOR CLOSER
14	LEAVER LOCK	26	TOWER BOLT
17	SLIDING DOOR	27	DOO VIWER
18	DOO KNOB		




Unlocking method




FINGERPRINT




FACE ID




PASSWORD



IC CARD




KEY




MOBILE APP

Additional Features



LIVE VIDEO









DOOR BELL

Smart Digital Door Lock with 3D Face Recognition

Model: X18






- Product material: zinc alloy
- Suitable for door thickness: 40~60mm
- System: fully automatic dual-core system, super large motor torque
- NFC unlocking: support mobile phones,
- Extended functions: Bluetooth, WIFI, still eyes, face recognition
- Fingerprint sensor: T-TOUCH fingerprint recognition technology, OFILM fingerprint module
- Anti-opening function: reverse knob, anti-child unlocking, anti-peephole anti-unlocking
- Anti-opening function: reverse knob, anti-child unlocking, anti-peephole anti-unlocking
- Alarm prompt: power failure alarm, anti-camera alarm, trial and error report
- Real-time capture: doorbell calling, system unlocking, door destruction, trial and error locking


Gray Black

 Electronic cat eye real-time capture	 Low battery /anti-pry/trial and error alarm prompt	 Class C anti-theft lock cylinder	 Anti-peephole "open"	 Six gas unlocking method	 Mobile phone management door lock
---	---	---	---	---	--



Features:






-  Fingerprint
-  Card
-  PIN Code
-  Tuya APP
-  Keys

SMART DIGITAL DOOR LOCK
Model: F510

- Opening method: Fingerprint/Password/IC card /Mobile App/Manual Key
- Product color: diamond sky, hired stone chips
- Product material: Zinc Alloy
- Excitement course: 40~60mm
- NFC function system: support mobile phones, semi-ring devices
- Extended functions: Bluetooth, WIFI, dazzling
- Cat slave transmission and connection: T-TOUCH recognition technology,odule
- Anti-opening function: anti-rotation knob, anti-child police opening, anti-disease unlocking
- Ruststone Security Master Edition, bottle C Xixun
- Alarm reminder; heart report, anti-arrival report, trial broadcast report




Star gray


 Electronic cat eye real-time capture	 Low battery /anti-pry/trial and error alarm prompt	 Class C anti-theft lock cylinder	 Four gas unlocking method	 Mobile phone management door lock
---	--	---	--	--




Unlocking method




FINGERPRINT



IC CARD




PASSWORD




KEY

Additional Features




Wi-Fi








DOOR BELL

GOLD LEVER HANDLE FINGERPRINT
SMART DIGITAL DOOR LOCK
Model: DST4203

- Opening method: Fingerprint/Password/IC card /Mobile App/Manual Key
- Product color: diamond sky, hired stone chips
- Product material: Zinc Alloy
- Excitement course: 40~60mm
- NFC function system: support mobile phones, semi-ring devices
- Extended functions: Bluetooth, WIFI, dazzling
- Cat slave transmission and connection: T-TOUCH recognition technology,odule
- Anti-opening function: anti-rotation knob, anti-child police opening, anti-disease unlocking
- Ruststone Security Master Edition, bottle C Xixun
- Alarm reminder; heart report, anti-arrival report, trial broadcast report








 Electronic cat eye real-time capture	 Low battery /anti-pry/trial and error alarm prompt	 Class C anti-theft lock cylinder	 Four gas unlocking method	 Mobile phone management door lock
---	--	---	--	--




GLASS DOOR SMART LOCK
MODEL: G1

- Opening method: Fingerprint/Password/IC card /Mobile App/Manual Key
- Product color: diamond sky, hired stone chips
- Product material: Zinc Alloy
- Excitement course: 40~60mm
- NFC function system: support mobile phones, semi-ring devices
- Extended functions: Bluetooth, WIFI, dazzling
- Cat slave transmission and connection: T-TOUCH recognition technology,odule
- Anti-opening function: anti-rotation knob, anti-child police opening, anti-disease unlocking
- Suitable for only glass door



 Smart touch panel	 Low battery/ anti-pry/trial and ettot alam prompt	 Class C anti-theft lock cylinder	 Five ways to unlock	 Mobile phone management door lock
--	--	---	--	--

MORTISE LOCK SERIES





Available Colors:



Available Colors:



Handle Lock

Model: 912-3608



Suitable for door thickness: 38~55mm

Warrenty Five years

Product material: zinc alloy Handle, 304 SS Mortise

Five Brass Kye

kye Type: Computer Kye

Handle Lock

Model: 912-3601




Suitable for door thickness: 35~55mm

Warrenty Five years

Product material: zinc alloy Handle, 304 SS Mortise

Five Brass Kye

kye Type: Computer Kye







Handle lock

Model: 2801-81

Product material: zinc alloy
Suitable for door thickness: 35~55mm
Cylinder 5 computer brass key
Warrenty Five years




Handle lock

Model: 3301-81

Product material: zinc alloy
Suitable for door thickness: 35~55mm
Cylinder 5 computer brass key
Warrenty Five years

Available Colors:






Push Pull Lock


Model: TL 601

Product material: zinc alloy
Suitable for door thickness: 35~55mm
Cylinder 4 computer brass key
Warrenty Five years

Available Colors:

Matte Black
 PVD Gold
 Stainless Steel





American style Villa Lock

Model: 9811XL

Suitable for door thickness: 38~55mm

Warrenty Five years

Product material: 100% Pure Brass

Five Brass Kye

kye Type: Computer Kye

Weather Resistant


Available Color:



MAB

GOLD

MBK





MAB




MAE



MAB




MAE



American style Villa Lock

Model: 9801XL


Suitable for door thickness: 38~55mm
 Warranty Five years
 Product material: 100% Pure Brass
 Five Brass Key
 Key Type: Computer Key
 Weather Resistant



American style Villa Lock

Model: 9803XL

Suitable for door thickness: 38~55mm
 Warranty Five years
 Product material: 100% Pure Brass
 Five Brass Key
 Key Type: Computer Key
 Weather Resistant





Stainless Steel SFZ0372




Matt black SFZ0372-1

SFZ0372


Optional Surface Treatment

Stainless Steel
Matt black


Material:
Stainless steel



SFZ0372



SFZ0372-1



Matte Black



Matt nickel brushed



Gun gray




PVD bright gold

FFZ09W4

Optional Surface Treatment

Heigu Gun gray
Matt nickel brushed PVD bright gold

Material
Zinc alloy



Stainless Steel



Gold brushed



Qing Gu




Heigu

FFZ0211

Optional Surface Treatment

Stainless Steel Gold brushed
Qing Gu Matte Black

Material
Zinc Alloy





GTA05L31

Optional surface treatment

PVD bright gold

Ancient

Material

Zinc Alloy



Color: PVD GOLD



Stainless Steel



Qing Gu



PVD bright gold green



Matte Black

FFZ09W7

Optional Surface Treatment


Matt nickel brushed

Matte Black

PVD bright gold green

Black ancient

Material
Zinc alloy




Matte Black

FFZ09W27

Optional Surface Treatment

Matte Black

Material
Zinc alloy





FFZ07W6


Optional surface treatment

Matte Black Gan Ash
PVD bright gold Matt nickel

Ancient

Material

Zinc Alloy



GTA05L31


Optional surface treatment

Matte Black Gan Ash
PVD bright gold Matt nickel

Ancient

Material

Zinc Alloy






Heigu

SGS-001

Optional Surface Treatment

Matte Black

Material
Zinc Alloy



Matt nickel brushed

SGS-002

Optional Surface Treatment


Stainless Steel

Matte Black

Material
Zinc Alloy



Heigu





Matte Black



Antique Brass



Stainless Steel



Antique Copper

TKL 710


Suitable for door thickness: 38~55mm

3 Brass Computer key

Material
Zinc alloy

Matte Black Stainless Steel

Antique Brass Antique Copper



SLIDING DOOR HARDWARE

The beauty of quality, the perfect combination of innovation and thought

Sliding Door Lock



YS0011


Technical Parameters

Available colors: brushed steel,
gun gray, PVD gold, black antique

Main material: zinc alloy

Suitable door thickness: 40-50mm

Scope of application: wooden door,
plastic steel door, aluminum alloy door






BR 4000

Suitable for door thickness: 38~55mm

3 Brass Computer key

Material
Zinc alloy

- | | |
|-------------|-----------------|
| Matte Black | Stainless Steel |
| PVD Gold | Antique Copper |



Matte Black



Stainless Steel



Antique Copper



PVD Gold





H-600

Single cylinder

Material
Zinc alloy

- Matte Black
- Stainless Steel
- Antique Brass
- PVD Gold



H-800


Doubled cylinder

Material
Zinc alloy

- Matte Black
- Stainless Steel
- Antique Copper




LOCK BODY LOCK



5845 MUTE LOCK BODY

TECHNICAL PARAMETERS
INSTALLATION CENTER DISTANCE: 45MM
KEYHOLE CENTER DISTANCE: 58MM
SERVICE LIFE: MORE THAN 200,000 TIMES FOR OBLIQUE TONGUE, MORE THAN 50,000 TIMES FOR SQUARE TONGUE
APPLICABLE OCCASIONS: ROOM DOOR, OFFICE DOOR, ENTRANCE DOOR
FEATURES: 1. SILENT BUFFER STRUCTURE DESIGN;
2. THE OBLIQUE TONGUE IS EQUIPPED WITH A FRICTION TONGUE, WHICH CAN EFFECTIVELY REDUCE THE CLOSING FORCE AND THE COLLISION SOUND OF THE OBLIQUE TONGUE;




SMALL GOURD HOLE REAL MORTISE LOCK CYLINDER

TECHNICAL PARAMETERS
MEET THE REQUIREMENTS OF QB /T2474-2017 STANDARD
SUITABLE FOR STEEL OR WOODEN DOORS
FLAT GROOVE SINGLE ROW
7 BALL LOCK CYLINDER
DOUBLE LOCK CYLINDER AND SINGLE LOCK OPTIONAL
3 KEYS

LENGTH L	OUTER A	INNER B
70	32.5	32.5
75	37.5	37.5
80	40	40

5072 MUTE LOCK BODY

TECHNICAL PARAMETERS
INSTALLATION CENTER DISTANCE: 50MM
KEYHOLE CENTER DISTANCE: 72MM
SERVICE LIFE: MORE THAN 200,000 TIMES FOR OBLIQUE TONGUE, MORE THAN 50,000 TIMES FOR SQUARE TONGUE
APPLICABLE OCCASIONS: ROOM DOOR, OFFICE DOOR, ENTRANCE DOOR
APPLICABLE OCCASIONS: ROOM DOOR, OFFICE DOOR, ENTRANCE DOOR
FEATURES: 1. SILENT BUFFER STRUCTURE DESIGN;
2. THE OBLIQUE TONGUE IS EQUIPPED WITH A FRICTION TONGUE, WHICH CAN EFFECTIVELY REDUCE THE CLOSING FORCE AND THE COLLISION SOUND OF THE OBLIQUE TONGUE;




BIG GOURD HOLE TRUE MORTISE LOCK CYLINDER

TECHNICAL PARAMETERS
MEET THE REQUIREMENTS OF QB/ T2474-2017 STANDARD
SUITABLE FOR STEEL OR WOODEN DOORS
FLAT GROOVE SINGLE ROW 7 BALL LOCK CYLINDER
DOUBLE LOCK CYLINDER AND SINGLE LOCK OPTIONAL
3 KEYS


LENGTH L	OUTER A	INNER B
70	32.5	32.5
75	37.5	37.5
80	40	40

5072 MUTE LOCK BODY


TECHNICAL PARAMETERS
INSTALLATION CENTER DISTANCE: 55MM
KEYHOLE CENTER DISTANCE: 72MM
SERVICE LIFE: MORE THAN 200,000 TIMES FOR OBLIQUE TONGUES, MORE THAN 50,000 TIMES FOR SQUARE TONGUES
APPLICABLE OCCASIONS: ROOM DOORS, OFFICE DOORS, ENTRANCE DOORS
FEATURES: 1. THE OBLIQUE TONGUE OF THE LOCK BODY ADOPTS A CIRCULAR ARC DESIGN, WHICH MAKES THE DOOR CLOSE SMOOTHLY;
2. THE LOCK BODY IS MADE OF HIGH-TEMPERATURE FIREPROOF MATERIAL, WHICH CAN BE USED FOR FIREPROOF DOORS;






INSTALLATION NOTES



SUPPORTING HARDWARE





5 inch Hydraulic Hinge

Technical Parameters

Available colors: stainless steel,
black antique, green bronze
sand silver, yellow bronze
Main material: stainless steel,
aluminum alloy
Maximum load: 30kg/1
Scope of application: door, wooden door



DOOR STOOPER 932

Technical Parameters

Optional color: AB, MBK, SS, MAE, AC.


Main material: zinc alloy

Scope of application: all kinds of door leaves

Main function: fixed door leaf

Features: beautiful and practical

Strong Magnet



AB



MBK



SS



MAE



AC



Life is not only about constantly moving forward,
but also when hestops thinking.


BMQ-001D

Technical Parameters


Optional color: sand silver,
black antique

Main material: aluminum alloy
Scope of application: wooden
door, steel door


Features: Precision imported
sealing ring, long life
More than 500,000 times





Standard installation



Flip-chip installation






Parallel arm installation



90°positioning/180°Automatic Hydraulic

Installation method





LOCK-EZ TB

Available Size: 6", 8", 12", 16", 18", 24"

Material
100% Brass

- Matte Black Stainless Steel
- Antique Brass Golden



Matte Black




Antique Brass



Stainless Steel



Golden



CONSOLE TOWER BOLT

- Matte Black Stainless Steel
- Antique Brass Antique Copper





Antique Brass




PVD Golden



Matte Black



Antique Copper



DOOR VIEWER

Technical Parameters


Available colors: brushed steel, black antique, gold brushed, yellow bronze

Main Material: Copper

Scope of application: bathroom door, glass door, wooden door

Main function: Through the door mirror, you can see the scene within 120° outside the door, which has the function of security

Features: beautiful and practical



FDL-001

Anti-theft Chain

Technical Parameters

Available Colors: Brushed Steel

Main material: 304 stainless steel


Scope of application: all kinds of wooden doors

Main functions: lock the door leaf, anti-theft

Features: beautiful, practical, firm



Installation method



LOCK-EZ[®]


✉ info@lockezmetal.com

🌐 www.lockezmetal.com



Thailand

AUTHORIZED DISTRIBUTOR IN BANGLADESH



AAA Aniq Trade LTD

www.aniqatrade.com

Sole Agent In Bangladesh

OFFICE: B117, ROAD 07, MOHAKHALI DOHS, DHAKA

 +88 01889 983507-8

 info@aniqatrade.com



Door Lock Bangladesh

Branding by

OUTLET: 78/6 , AIRPORT ROAD, CHAIRMANBARI,
BANANI, DHAKA

 +88 01889 983514

 info@doorlockbd.com